

Section E

- **References**
- **Guidelines / Standards / Consensus & Position Statements**

1. References

Abdelhafiz AH, Sinclair AJ. Hypoglycaemia in residential care homes. *Br J Gen Pract.* 2009 Jan;59(558):49-50. Review.

Ahmed AA, Hays CI, Liu B, Aban IB, et al. Predictors of in-hospital mortality among hospitalized nursing home residents: An analysis of the National Hospital Discharge Surveys 2005–2006. *J Am Med Dir Assoc.* 2010Jan;11(1):52-8.

Akopov S, Cohen SN. Preventing stroke: A review of current guidelines. *J Am Med Dir Assoc.* 2003 Sep;4(5, Supplement):S127-32.

Alam T, Weintraub N, Weinreb J. What is the proper use of hemoglobin A1c monitoring in the elderly? *J Am Med Dir Assoc* 2005; 6:200-4.

Albert SG, Grossberg GT, Thaipisuttikul PJ, Scouby J, Green E. Atypical antipsychotics and the risk of diabetes in an elderly population in long-term care: a retrospective nursing home chart review study. *J Am Med Dir Assoc.* 2009 Feb;10(2):115-9.

Allsworth JE, Toppa R, Palin NC, Lapane KL. For the patient. Many nursing home patients do not receive diabetes medicine. *Ethn Dis* 2005 Spring; 15(2):351.

Allsworth JE, Toppa R, Palin NC, Lapane KL. Racial and ethnic disparities in the pharmacologic management of diabetes mellitus among long-term care facility residents. *Ethn Dis.* 2005 Spring;15(2):205-12. Summary for patients in: *Ethn Dis* 2005 Spring; 15(2):351.

American Association of Diabetes Educators. *AADE Dictionary of Diabetes Education.* Chicago, Illinois: American Association of Diabetes Educators; 2009.

American Association of Diabetes Educators; Mensing C, editor. *The Art and Science of Diabetes Self-Management Education Desk Reference, 2nd Edition.* Chicago, Illinois: American Association of Diabetes Educators; 2010.

American Association of Diabetes Educators. *Diabetes Education Curriculum: Guiding Patients to Successful Self-Management.* Chicago, Illinois: AADE; 2009.

American Association of Diabetes Educators; Sisson E. AADE Quick Guide to Medications. Chicago, Illinois: American Association of Diabetes Educators; 2010.

American Dietetic Association. Liberalization of the diet prescription improves quality of life for older adults in long-term care. *J Am Diet Assoc* 2005; 105:1955-65.

American Medical Directors Association ad hoc Work Group on the Role of the Attending Physician and Advanced Practice Nurse. Collaborative and supervisory relationships between attending physicians and advanced practice nurses in long-term care facilities. *J Am Med Dir Assoc*. 2011 Jan;12(1):12-8.

Arinzon Z, Fidelman Z, Berner YN, Adunsky A. Infection-related hypoglycemia in institutionalized demented patients: a comparative study of diabetic and nondiabetic patients. *Arch Gerontol Geriatr*. 2007 Sep-Oct;45(2):191-200.

Arinzon Z, Shabat S, Shuval I, Peisakh A, Berner Y. Prevalence of diabetes mellitus in elderly patients received enteral nutrition long-term care service. *Arch Gerontol Geriatr*. 2008 Nov-Dec;47(3):383-93.

Aronow WS. Drug therapy of older persons with hypertension. *J Am Med Dir Assoc*. 2006 Mar;7(3):193-6.

Aronow WS. Hypertension in the nursing home. *J Am Med Dir Assoc*. 2008 Sep;9(7):486-90. Review.

Aronow WS. Should hypercholesterolemia be treated in frail elders? *J Am Med Dir Assoc*. 2002 Mar;3(2):66-70.

Aronow WS. Treatment of systolic and diastolic heart failure in the elderly. *J Am Med Dir Assoc*. 2006 Jan;7(1):29-36.

Aslan E, Beji NK, Erkan HA, Yalcin O, Gungor F. The prevalence of and the related factors for urinary and fecal incontinence among older residing in nursing homes. *J Clin Nurs*. 2009 Dec;18(23):3290-8.

Bardenheier BH, Shefer AM, Lu PJ, Remsburg RE, Marsteller JA. Are standing order programs associated with influenza vaccination? - NNHS, 2004. *J Am Med Dir Assoc*. 2010 Nov;11(9):654-61.

Berry RM, Raleigh ED. Diabetic foot care in a long-term facility. *J Gerontol Nurs* 2004 Apr; 30(4):8-13.

Boschert C. Caution is urged in elderly diabetes care. *Caring for the Ages* 2008; 9(8);16-17.

Boström AM, Slaughter SE, Chojecki D, Estabrooks CA. What do we know about knowledge translation in the care of older adults? A Scoping Review. *J Am Med Dir Assoc*. 2010.

Bourdel-Marchasson I. How to improve nutritional support in geriatric institutions. *J Am Med Dir Assoc.* 2010 Jan;11(1):13-20. Review.

Boxer RS, Dolansky MA, Frantz MA, Prosser R, Hitch JA, Piña IL. The Bridge Project: Improving heart failure care in skilled nursing facilities. *J Am Med Dir Assoc.* 2011.

Breve F, Breve F, Gianarkis DG. Painful diabetic peripheral neuropathy: Identification and management of an elusive comorbidity. *J Am Med Dir Assoc.* 2011 Mar;12(3):B19.

Browning LA and Dumo P. Sliding-scale insulin: An antiquated approach to glycemic control in hospitalized patients. *Am J Health-Syst Pharm* 2004; 61:1611-14.

Buchanan RJ, Rosenthal M, Graber DR, Wang S, Kim MS. Racial and ethnic comparisons of nursing home residents at admission. *J Am Med Dir Assoc.* 2008 Oct;9(8):568-79.

Burack OR, Weiner AS, Reinhardt JP, Annunziato RA. What matters most to nursing home elders: Quality of life in the nursing home. *J Am Med Dir Assoc.* 2010.

Campbell SL. Empowering nursing staff and residents in long-term care. *Geriatr Nurs.* 2003 May-Jun; 24(3):170-5.

Cesari M, Pedone C, Incalzi RA, Pahor M. ACE-Inhibition and physical function: Results from the trial of angiotensin-converting enzyme inhibition and novel cardiovascular risk factors (TRAIN) study. *J Am Med Dir Assoc.* 2010 Jan;11(1):26-32.

Chaudhry SI, Berlowitz DR, Concato J. Do age and comorbidity affect intensity of pharmacological therapy for poorly controlled diabetes mellitus? *J Am Geriatr Soc* 2005; 53:1214-16.

Chelliah A, Burge MR. Hypoglycaemia in elderly patients with diabetes mellitus: causes and strategies for prevention. *Drugs Aging* 2004; 21(8):511-30. Review.

Chen LK, Peng LN, Lin MH, Lai HY, et al. Diabetes mellitus, glycemic control, and pneumonia in long-term care facilities: A 2-year, prospective cohort study. *J Am Med Dir Assoc.* 2011 Jan;12(1):33-7.

Chen LK, Peng LN, Lin MH, Lai HY, Hwang SJ, Lan CF. Predicting mortality of older residents in long-term care facilities: Comorbidity or care problems? *J Am Med Dir Assoc.* 2010 Oct;11(8):567-71.

Chetty VT, Almulla A, Oduyungbo A, Thabane L. The effect of continuous subcutaneous glucose monitoring (CGMS) versus intermittent whole blood finger-stick glucose monitoring (SBGM) on hemoglobin A1c (HBA1c) levels in Type I diabetic patients: a systematic review. *Diabetes Res Clin Pract.* 2008 Jul;81(1):79-87. Review.

Colberg SR, Somma CT, Sechrist SR. Physical activity participation may offset some of the negative impact of diabetes on cognitive function. *J Am Med Dir Assoc.* 2008 Jul;9(6):434-8.

Colberg SR, Zarrabi L, Bennington L, Nakave A, et al Postprandial walking is better for lowering the glycemic effect of dinner than pre-dinner exercise in type 2 diabetic individuals. *J Am Med Dir Assoc*. 2009 Jul;10(6):394-7.

Cote BR, Petersen EA. Impact of therapeutic switching in long-term care. *Am J Manag Care*. 2008 Nov;14(11 Suppl):SP23-8.

Counard CA, Perz JF, Linchangco PC, Christiansen D, et al. Acute hepatitis B outbreaks related to fingerstick blood glucose monitoring in two assisted living facilities. *J Am Geriatr Soc*. 2010 Feb;58(2):306-11.

Crogan NL, Evans B, Severtsen B, Shultz JA. Improving nursing home food service: uncovering the meaning of food through residents' stories. *J Gerontol Nurs* 2004 Feb; 30(2):29-36.

Damián J, Pastor-Barriuso R, Valderrama-Gama E. Descriptive epidemiology of undetected depression in institutionalized older people. *J Am Med Dir Assoc*. 2010 Jun;11(5):312-19.

DeRosa A, DeRosa A. Disease specific health risk assessments: Steps for improving diabetic patient care in the nursing home setting. *J Am Med Dir Assoc*. 2010 Mar;11(3):B8.

Dharmarajan TS, Nguyen T, Russell RO. Life-threatening, preventable hyperkalemia in a nursing home resident: case report and literature review. *J Am Med Dir Assoc*. 2005 Nov-Dec;6(6):400-5.

Dharmarajan TS, Yoo J, Russell RO, Norkus EP. Chronic kidney disease staging in nursing home and community older adults: Does the choice of Cockcroft-Gault, Modification of Diet in Renal Disease Study, or the Chronic Kidney Disease Epidemiology Collaboration Initiative equations matter? *J Am Med Dir Assoc*. 2010.

Di Fazio I, Franzoni S, Frisoni GB, Gatti S, et al. Predictive role of single diseases and their combination on recovery of balance and gait in disabled elderly patients. *J Am Med Dir Assoc*. 2006 May;7(4):208-11.

Diabetes Care and Education Dietetics Practice Group; Ross T, O'Connell B, Boucher J. American Dietetic Association Guide to Diabetes Medical Nutrition Therapy and Education Chicago, Illinois: American Dietetic Association, 2005. <http://online.statref.com/titleinfo/foxid-210.html> Accessed 4/10/2011.

Dobnig H, Piswanger-Solkner JC, Roth M, Obermayer-Pietsch B, et al. Type 2 diabetes mellitus in nursing home patients: effects on bone turnover, bone mass, and fracture risk. *J Clin Endocrinol Metab* 2006 Sep; 91(9):3355-63.

Drab SR. Recognizing the rising impact of diabetes in seniors and implications for its management. *Consult Pharm*. 2009 Jun;24 Suppl B:5-10. Review.

Drawz PE, Bocirnea C, Greer KB, Kim J, et al. Hypertension guideline adherence among nursing home patients. *J Gen Intern Med*. 2009 Apr;24(4):499-503.

Duffy RE, Mattson BJ, Zack M. Comorbidities among Ohio's nursing home residents with diabetes. *J Am Med Dir Assoc* 2005; 6:383-9.

Feldman PD, Hay LK, Deberdt W, Kennedy JS, et al. Retrospective cohort study of diabetes mellitus and antipsychotic treatment in a geriatric population in the United States. *J Am Med Dir Assoc*. 2004 Jan-Feb;5(1):38-46.

Feldman SM, Rosen R, DeStasio J. Status of diabetes management in the nursing home setting in 2008: a retrospective chart review and epidemiology study of diabetic nursing home residents and nursing home initiatives in diabetes management. *J Am Med Dir Assoc*. 2009;10(5):354-60.

Felix HC. Personal care assistance needs of obese elders entering nursing homes. *J Am Med Dir Assoc*. 2008 Jun;9(5):319-26.

Fitzgerald SP, Bean NG. An analysis of the interactions between individual comorbidities and their treatments—Implications for guidelines and polypharmacy. *J Am Med Dir Assoc*. 2010 Sep;11(7):475-84.

Gaddipati VC, Bailey BA, Kuriacose R, Copeland RJ, Manning, T Peiris AN. The relationship of vitamin D status to cardiovascular risk factors and amputation risk in veterans with peripheral arterial disease. *J Am Med Dir Assoc*. 2011 Jan;12(1):58-61.

Gaddipati VC, Kuriacose R, Copeland R, Bailey BA, Peiris AN. Vitamin D deficiency: An increasing concern in peripheral arterial disease. *J Am Med Dir Assoc*. 2010;11(5):308-11.

Garcia TJ, Brown SA. Diabetes management in the nursing home: A systematic review of the literature. *Diabetes Educator*. 2011; 37:167-87.

Garza H. Minimizing the risk of hypoglycemia in older adults: a focus on long-term care. *Consult Pharm*. 2009 Jun;24 Suppl B:18-24. Review.

Gianarkis D, Gianarkis D, Fusco R. Estimating total acetaminophen burden in LTC residents with diabetes. *J Am Med Dir Assoc*. 2010 Mar;11(3):B10-11.

Gianarkis D, Gianarkis D, Fusco R. Prevalence of painful neuropathy and use of analgesic medications in residents with diabetes. *J Am Med Dir Assoc*. 2010 Mar;11(3):B18-19.

Gillespie S, McDermott R, Gillespie SM, Nelson D, Shah MN. Demographics and acute medical needs of assisted living facility residents. *J Am Med Dir Assoc*. 2010 Mar;11(3):B7-8.

Haas L. Management of diabetes mellitus medications in the nursing home. *Drugs Aging* 2005; 22(3):209-18. Review.

Haas LB. Optimizing insulin use in type 2 diabetes: role of basal and prandial insulin in long-term care facilities. *J Am Med Dir Assoc*. 2007 Oct;8(8):502-10.

Hagemann R, Sartory G, Hader C, Kobberling J. Mood and cognitive function in elderly diabetic patients living in care facilities. *Dement Geriatr Cogn Disord* 2005; 19(5-6):369-75.

Hainer TA. Managing older adults with diabetes. *J Am Acad Nurse Pract*. 2006;18(7):309-17.

Hanlon JT, Wang X, Handler SM, Weisbord S, et al. Potentially inappropriate prescribing of primarily renally cleared medications for older Veterans Affairs nursing home patients. *J Am Med Dir Assoc.*; 2010.

Harris Y. Depression as a risk factor for nursing home admission among older individuals. *J Am Med Dir Assoc*. 2007 Jan;8(1):14-20.

Haumschild MS, Haumschild RJ. The importance of oral health in long-term care. *J Am Med Dir Assoc*. 2009 Nov;10(9):667-71. Review.

Holstein A, Hammer C, Hahn M, Kulamadayil NS, Kovacs P. Severe sulfonylurea-induced hypoglycemia: a problem of uncritical prescription and deficiencies of diabetes care in geriatric patients. *Expert Opin Drug Saf*. 2010 Sep;9(5):675-81.

Hutt E, Radcliff TA, Oman KS, Fink R, et al. Impact of NHAP guideline implementation intervention on staff and resident vaccination rates. *J Am Med Dir Assoc*. 2010;11(5):365-70.

Iwanczyk L, Weintraub NT, Rubenstein LZ. Orthostatic hypotension in the nursing home setting. *J Am Med Dir Assoc*. 2006 Mar;7(3):163-7.

Jaul E. Assessment and management of pressure ulcers in the elderly: current strategies. *Drugs Aging*. 2010 Apr 1;27(4):311-25. Review.

Joseph J, Koka M, Aronow WS. Prevalence of a hemoglobin A1c less than 7.0%, of a blood pressure less than 130/80 mm Hg, and of a serum low-density lipoprotein cholesterol less than 100 mg/dL in older patients with diabetes mellitus in an academic nursing home. *J Am Med Dir Assoc*. 2008 Jan;9(1):51-4.

Joseph J, Koka M, Aronow WS. Prevalence of moderate and severe renal insufficiency in older persons with hypertension, diabetes mellitus, coronary artery disease, peripheral arterial disease, ischemic stroke, or congestive heart failure in an academic nursing home. *J Am Med Dir Assoc*. 2008 May;9(4):257-9.

Kagansky M, Rimon E. Is there a difference in metabolic outcome between different enteral formulas? *JPEN J Parenter Enteral Nutr*. 2007 Jul-Aug;31(4):320-3.

Koka M, Joseph J, Aronow WS. Adequacy of control of hypertension in an academic nursing home. *J Am Med Dir Assoc*. 2007 Oct;8(8):538-40.

Koka M, Joseph J, Aronow WS. Prevalence of adequate and of optimal control of serum low-density lipoprotein cholesterol in an academic nursing home. *J Am Med Dir Assoc*. 2007 Nov;8(9):604-6.

Kumari J, Dharmarajan TS. Insulin glargine induced persistent intractable hypoglycemia, with variable presentations in older diabetic patients: an experience of 4 cases. *J Am Med Dir Assoc.* 2009 Nov;10(9):672-3.

Lamers F, Jonkers CC, Bosma H, Kempen GI, et al. A minimal psychological intervention in chronically ill elderly patients with depression: a randomized trial. *Psychother Psychosom.* 2010 Jun;79(4):217-26.

Lawrence PA, Dowe MC, Perry EK, Strong S, Samsa GP. Accuracy of nurses in performing capillary blood glucose monitoring. *Diabetes Care.* 1989 Apr; 12(4):298-301.

Lee A. Preventive treatment with acarbose in diabetic reactive hypoglycemia. *J Am Med Dir Assoc.* 2010 Jun;11(5):377-8.

Levenson SA. The basis for improving and reforming long-term care, part 1: The foundation. *J Am Med Dir Assoc.* 2009 Sep;10(7):459-65.

Levine JM, Ayello EA. MDS 3.0 Section M: Skin conditions: What the medical director needs to know. *J Am Med Dir Assoc.* 2011 Mar;12(3):179-83.

Levinson Y, Epstein A, Adler B, Epstein L, Dwolatzky T. Successful use of a sucrose-containing enteral formula in diabetic nursing home elderly. *Diabetes Care.* 2006 Mar; 29(3):698-700.

MacNabey MK, Pandey N, Iwuagwu C, et al. Differences in diabetes management of nursing home patients based on functional and cognitive status. *J Am Med Dir Assoc.* 2005; 6:375-82.

Mader SL, Fuglee KA, Allen DS, Werner LR, et al. Development of a protocol for capillary blood glucose testing in nursing home and rehabilitation settings. *J Am Geriatr Soc.* 2006 Jul; 54(7):1114-8.

Mathew R, Young Y, Shrestha S. Factors associated with potentially preventable hospitalization among nursing home residents in New York State with chronic kidney disease. *J Am Med Dir Assoc.* 2011.

Maurer MS, Burcham J, Cheng H. Diabetes mellitus is associated with an increased risk of falls in elderly residents of a long-term care facility. *J Gerontol A Biol Sci Med Sci.* 2005 Sep; 60(9):1157-62.

Mazza AD, Morley JE. Update on diabetes in the elderly and the application of current therapeutics. *J Am Med Dir Assoc.* 2007 Oct;8(8):489-92.

Mazza AD. Insulin resistance syndrome and glucose dysregulation in the elderly. *Clin Geriatr Med.* 2008 Aug;24(3):437-54, vi. Review.

- McClellan WM, Resnick B, Lei L, Bradbury BD, et al. Prevalence and severity of chronic kidney disease and anemia in the nursing home population. *J Am Med Dir Assoc.* 2010 Jan;11(1):33-41.
- McNabney MK, Pandya N, Iwuagwu C, Patel M, et al. Differences in diabetes management of nursing home patients based on functional and cognitive status. *J Am Med Dir Assoc.* 2005; 6:375-82.
- McNabney MK, Wolff JL, Semanick LM, Kasper JD, Boulton C. Care needs of higher-functioning nursing home residents. *J Am Med Dir Assoc.* 2007 Jul;8(6):409-12.
- Meece J. The 3 R's of managing seniors with type 2 diabetes: recognition, risk, and remedies. *Consult Pharm.* 2009 Jun;24 Suppl B:2.
- Meece J. When oral agents fail: optimizing insulin therapy in the older adult. *Consult Pharm.* 2009 Jun;24 Suppl B:11-7. Review.
- Messinger-Rapport BJ, Morley JE, Thomas DR, Gammack JK. Clinical update on nursing home medicine: 2010. *J Am Med Dir Assoc.* 2010 Oct;11(8):543-66.
- Messinger-Rapport BJ, Morley JE, Thomas DR, Gammack JK. Intensive session: New approaches to medical issues in long-term care. *J Am Med Dir Assoc.* 2007 Sep;8(7):421-33. Review.
- Meyers RM, Broton JC, Woo-Rippe KW, et al. Variability of glycosylated hemoglobin values in diabetic patients living in long-term care facilities. *J Am Med Dir Assoc.* 2007;8:511-14.
- Meyers RM, Reger L. Diabetes management in long-term care facilities: A practical guide, *J Am Med Dir Assoc.* 2009 Oct;10(8):589.
- Mollica R. State Medicaid Reimbursement Policies and Practices in Assisted Living. Washington, DC: National Center for Assisted Living, October 2009.
- Molotsky S, Haumschild MJ, Dybicz S, Harper J, et al. Agreement of diabetes mellitus diagnosis indicators in skilled nursing facility elderly residents. *J Am Med Dir Assoc.* 2008 Mar;9(3):B5.
- Morley JE. Caring for the vulnerable elderly: Are available quality indicators appropriate? *J Am Med Dir Assoc.* 2008 Jan;9(1):1-3.
- Morley JE. Depression in nursing home residents. *J Am Med Dir Assoc.* 2010 Jun;11(5):301-3.
- Morley JE. End-of-life care in the nursing home. *J Am Med Dir Assoc.* 2011 Feb;12(2):77-83.
- Morley JE. Falls and fractures. *J Am Med Dir Assoc.* 2007 June;8(5):276-8.
- Morley JE. Hypertension: Is it overtreated in the elderly? *J Am Med Dir Assoc.* 2010 Mar;11(3):147-52.

- Morley JE. Polypharmacy in the nursing home. *J Am Med Dir Assoc*. 2009 Jun;10(5):289-91.
- Moser A, van der Bruggen H, Widdershoven G. Competency in shaping one's life: autonomy of people with type 2 diabetes mellitus in a nurse-led, shared-care setting; a qualitative study. *Int J Nurs Stud* 2006 May; 43(4):417-27.
- Murray LM, Laditka SB. Care transitions by older adults from nursing homes to hospitals: Implications for long-term care practice, geriatrics education, and research. *J Am Med Dir Assoc*. 2010 May;11(4):231-8.
- Muszkat M, Friedman G, Dannenberg HD, Greenbaum E, et al. Response to influenza vaccination in community and in nursing home residing elderly: relation to clinical factors. *Exp Gerontol* 2003 Oct; 38(10):1199-203.
- Nathan DM, Holman RR, Buse JB, et al. Management of hyperglycemia in type 2 diabetes: A consensus algorithm for the initiation & adjustment of therapy. *Diabetes Care* 2006; 29:1963-72. <http://care.diabetesjournals.org/cgi/content/full/29/8/1963> Accessed 4/10/2011.
- Nettles AT. Aging and diabetes. *Topics in geriatric rehabilitation*. July/September 2010; 26 (3):180–92.
- Nettles AT. Patient education in the hospital. *Diabetes Spectrum*. January 2005; 18(1):44-8.
- No author. Developing a practical guide for diabetes management in long-term care facilities: An inter-disciplinary approach. *J Am Med Dir Assoc*. 2007 Mar;8(3):B6.
- No author. The challenges and opportunities of managing diabetes in long-term care. *J Am Med Dir Assoc*. 2008 May;9(4, Supplement):1-20.
- Nyenwe EA, Jerkins TW, Umpierrez GE, Kitabchi AE. Management of type 2 diabetes: evolving strategies for the treatment of patients with type 2 diabetes. *Metabolism*. 2011 Jan;60(1):1-23. Review.
- Pandya N, Nathanson E. Managing diabetes in long-term care facilities: benefits of switching from human insulin to insulin analogs. *J Am Med Dir Assoc*. 2010 Mar;11(3):171-8. Review.
- Pandya N, Thompson S, Sambamoorthi U. The prevalence and persistence of sliding scale insulin use among newly admitted elderly nursing home residents with diabetes mellitus. *J Am Med Dir Assoc*. 2008 Nov;9(9):663-9.
- Parrish MM, O'Malley K, Adams RI, Adams SR, Coleman EA. Implementation of the care transitions intervention: sustainability and lessons learned. *Prof Case Manag*. 2009 Nov-Dec;14(6):282-93; quiz 294-5.
- Pataky Z, Golay A, Rieker A, Grandjean R, et al. A first evaluation of an educational program for health care providers in a long-term care facility to prevent foot complications. *Int J Low Extrem Wounds*. 2007 Jun;6(2):69-75.

Pataky Z, Herrmann FR, Regat D, Vuagnat H. The prevalence of at-risk foot in patients with diabetes mellitus, patients without diabetes mellitus with neurological disorders, and subjects without known diabetes mellitus or lower limb sensory loss. *J Am Geriatr Soc.* 2008 Jan;56(1):180-1.

Perret-Guillaume C, Genet C, Herrmann FR, Benetos A, et al. Attitudes and approaches to decision making about antihypertensive treatment in elderly patients. *J Am Med Dir Assoc.* 2011 Feb;12(2):121-8.

Perz JF, Fiore AE. Preventing the transmission of bloodborne viruses during glucose monitoring: lessons learned from recent outbreaks. *J Am Med Dir Assoc.* 2006 Jan;7(1):65-6.

Philpot TE, Philpot TE. A Quality improvement initiative aimed at improving the assessment and treatment of type 2 diabetes in skilled-nursing facility residents. *J Am Med Dir Assoc.* March 2009 Mar;10(3):B3-4.

Quinn CC, Gruber-Baldini AL, Port CL, May C, et al. The role of nursing home admission and dementia status on care for diabetes mellitus. *J Am Geriatr Soc.* 2009 Sep;57(9):1628-33.

Rajagopalan S. Serious infections in elderly patients with diabetes mellitus. *Clin Infect Dis* 2005 Apr 1; 40(7):990-6.

Ravona-Springer R, Luo X, Schmeidler J, Wysocki M, et al. Diabetes is associated with increased rate of cognitive decline in questionably demented elderly. *Dement Geriatr Cogn Disord.* 2010;29(1):68-74.

Resnick HE, Heineman J, Stone R, Shorr RI. Diabetes in U.S. nursing homes, 2004. *Diabetes Care.* 2008 Feb;31(2):287-8.

Ross TA, Boucher JL, O'Connell BS (Editors). *Guide to Diabetes Medical Nutrition Therapy and Education (2005)*. Chicago, IL: American Dietetic Association.

Russell LB, Valiyeva E, Roman SH, Pogach LM, Suh DC, Safford MM. Hospitalizations, nursing home admissions, and deaths attributable to diabetes. *Diabetes Care.* 2005 Jul; 28(7):1611-7.

Sales AE, Bostrom AM, Bucknall T, Draper K, et al. The use of data for process and quality improvement in long-term care and home care: A Systematic review of the literature. *J Am Med Dir Assoc.* 2011.

Saliba D, Solomon D, Rubenstein L, Young R, et al. Quality indicators for the management of medical conditions in nursing home residents. *J Am Med Dir Assoc* 2005 May-Jun; 6(3 Suppl):S36-48.

Samus QM, Mayer L, Onyike CU, Brandt J, et al. Correlates of functional dependence among recently admitted assisted living residents with and without dementia. *J Am Med Dir Assoc.* 2009 Jun;10(5):323-9.

- Schejter YD, Turvall E, Ackerman Z. Characteristics of patients with sulphonurea-induced hypoglycemia. *J Am Med Dir Assoc.* 2010.
- Shamliyan T, Wyman J, Bliss DZ, Kane RL, Wilt TJ. Prevention of urinary and fecal incontinence in adults. *Evid Rep Technol Assess (Full Rep).* 2007 Dec;(161):1-379. Review.
- Shane-McWhorter L. Prediabetes in a nursing facility patient with renal insufficiency. *Consult Pharm.* 2010 Jun;25 Suppl B:11-18.
- Shay K. Infectious complications of dental and periodontal diseases in the elderly population. *Clin Infect Dis* 2002 May 1; 34(9):1215-23.
- Shemansky CA, Gianarkis D. Satisfaction with diabetes treatments: Results of a survey administered to long-term care nurses. *J Am Med Dir Assoc.* March 2008 Mar;9(3):B25-6.
- Simonson W, Han LF, Davidson HE. Hypertension treatment and outcomes in US nursing homes: Results from the US National Nursing Home Survey. *J Am Med Dir Assoc.* 2011 Jan;12(1):44-9.
- Sloane PD, Ivey J, Helton M, Barrick AL, Cerna A. Nutritional issues in long-term care. *J Am Med Dir Assoc.* 2008 Sep;9(7):476-85.
- Spencer J. Type 2 diabetes and hypertension in older adults: a case study. *Nurs Stand.* 2010 Apr 14-20;24(32):35-9.
- Spooner JJ, Lapane KL, Hume AL, Mor V, Gambassi G. Pharmacologic treatment of diabetes in long-term care. *J Clin Epidemiol* 2001 May; 54(5):525-30.
- Stefanacci RG. First steps in improving physical activity in assisted living. *J Am Med Dir Assoc.* 2010 Jul;11(6):383-5.
- Takahashi PY, Kiemele LJ, Chandra A, Cha SS, Targonski PV. A retrospective cohort study of factors that affect healing in long-term care residents with chronic wounds. *Ostomy Wound Manage.* 2009 Jan;55(1):32-7.
- Tangalos EG, Zarowitz BJ. Combination drug therapy. *J Am Med Dir Assoc.* 2005 Nov-Dec;6(6):406-9.
- Thomas DR. Does Pressure Cause Pressure Ulcers? An inquiry into the etiology of pressure ulcers. *J Am Med Dir Assoc.* 2010 Jul;11(6):397-405.
- Thompson ND, Perz JF. Eliminating the blood: ongoing outbreaks of hepatitis B virus infection and the need for innovative glucose monitoring technologies. *J Diabetes Sci Technol.* 2009 Mar 1;3(2):283-8.
- Tommasulo B, Cal CE, Hom S, Hussain R, Dlugacz YD. Optimizing fingerstick glucose monitoring in the nursing home. *J Am Med Dir Assoc.* 2008 Mar;9(3):B20.

Travis SS, Buchanan RJ, Wang S, Kim M. Analyses of nursing home residents with diabetes at admission. *J Am Med Dir Assoc* 2004 Sep-Oct; 5(5):320-7.

Umeh L. Preventing amputation in older adults with diabetes. *Advance for NP&PAs*. July 1, 2006;14(7):41. <http://nurse-practitioners-and-physician-assistants.advanceweb.com/Article/Preventing-Amputation-in-Older-Adults-with-Diabetes-1.aspx> Accessed 4/10/2011.

van Dijk PT, Mehr DR, Ooms ME, Madsen R, et al. Comorbidity and 1-year mortality risks in nursing home residents. *J Am Geriatr Soc* 2005 Apr; 53(4):660-5.

Vischer UM. Glycemic targets for elderly diabetic patients need reappraisal. *J Am Med Dir Assoc*. 2011 Jan;12(1):9-11. <http://www.jamda.com/article/S1525-8610%2810%2900297-5/fulltext> Accessed 4/10/2011.

Watkins PJ. ABC of Diabetes: The diabetic foot. *BMJ*. 2003; 326(7396):977-9. Review.

Wendt FL, Bazalo GR, Weiss RC, Bouchard JR, et al. Reducing insulin treatment costs in nursing homes for Medicare residents through use of pen delivery devices. *J Am Med Dir Assoc*. 2011 Mar;12(3):B22-3.

Witham MD, Avenell A. Interventions to achieve long-term weight loss in obese older people: a systematic review and meta-analysis. *Age Ageing*. 2010 Mar;39(2):176-84. Review.

Zarowitz BJ, Tangalos EG, Hollenack K, O'Shea T. The application of evidence-based principles of care in older persons (issue 3): management of diabetes mellitus. *J Am Med Dir Assoc* 2006 May; 7(4):234-40. Review.

Zarowitz BJ. Management of diabetes mellitus in older persons. *Geriatr Nurs*. 2006 Mar-Apr;27(2):77-82.

Zekry D, Loures Valle BH, Graf C, Michel JP, et al. Prospective comparison of 6 comorbidity indices as predictors of 1-year post-hospital discharge institutionalization, readmission, and mortality in elderly individuals. *J Am Med Dir Assoc*. 2011 Jan 10.

Zekry D, Valle BH, Michel JP, Esposito F, et al. Prospective comparison of six co-morbidity indices as predictors of 5 years post hospital discharge survival in the elderly. *Rejuvenation Res*. 2010 Dec;13(6):675-82.

Zettervall DK. Management of the patient with advanced complications, functional decline, and persistent hyperglycemia. *Consult Pharm*. 2010 Jun;25 Suppl B:5-10.

Zeyfang A, Berndt S, Aurnhammer G, Nikolaus T, et al. A short easy test can detect ability for autonomous insulin injection by the elderly with diabetes mellitus. *J Am Med Dir Assoc*. 2010.

Zhang X, Decker FH, Luo H, Geiss LS, et al. Trends in the prevalence and comorbidities of diabetes mellitus in nursing home residents in the United States: 1995-2004. *J Am Geriatr Soc*. 2010 Apr;58(4):724-30.

Zhao, G, et al. Physical activity in U.S. older adults with diabetes mellitus: Prevalence and correlates in meeting physical activity recommendations. *Journal of American Geriatrics Society*. 2011 Jan;59(1):132-7.

2. Guidelines / Standards / Consensus and Position Statements

American Association of Clinical Endocrinologists (AACE) Diabetes Mellitus Clinical Practice Guidelines Task Force. AACE diabetes mellitus guidelines. Patient safety in diabetes care. *Endocr Pract* 2007 May-Jun;13(Suppl 1):63-8.

<http://alt.aace.com/pub/pdf/guidelines/DMGuidelines2007.pdf> Accessed 4/10/2011.

American Association of Clinical Endocrinologists; Handelsman Y, Blonde L, Bloomgarden ZT, Dagogo-Jack S, *et al*. AACE Medical Guidelines for Clinical Practice for Developing a Diabetes Mellitus Comprehensive Care Plan. *Endocr Pract*. 2011;17(Suppl 2):1-53.

<http://alt.aace.com/pub/pdf/guidelines/DMGuidelinesCCP.pdf> Accessed 4/10/2011.

American Diabetes Association and the American College of Cardiology Foundation; Brunzell JD, Davidson M, Furberg CD, Goldberg RB, *et al*. Consensus statement: Lipoprotein management in patients with cardiometabolic risk. *Diabetes Care*. 2008; 31:811–22.

<http://care.diabetesjournals.org/content/31/4/811.full.pdf+html> Accessed 4/10/2011.

American Diabetes Association Consensus Statement: Nathan DM, Holman RR, Buse JB, *et al*. Management of hyperglycemia in type 2 diabetes: A consensus algorithm for the initiation & adjustment of therapy. *Diabetes Care*. 2006; 29:1963-72.

<http://care.diabetesjournals.org/content/29/8/1963.full.pdf+html> Accessed 4/10/2011.

American Diabetes Association Consensus Statement: Kitabchi AE, Umpierrez GE, Miles JM, and Fisher JN. Hyperglycemic crises in adult patients with diabetes. *Diabetes Care*. 2009; 32:1335–43. <http://care.diabetesjournals.org/content/32/7/1335.full.pdf+html> Accessed 4/10/2011.

American Diabetes Association Position Statement: Boulton AJM, Vinik AI, Arezzo JC, Bril V, *et al*. Diabetic neuropathies. *Diabetes Care*. 2005; 28:956.

<http://care.diabetesjournals.org/content/28/4/956.full.pdf+html> Accessed 4/10/2011.

American Diabetes Association Position Statement: Diabetes nutrition recommendations for health care institutions, *Diabetes Care* 2004; 27(Suppl 1):S55–7.

http://care.diabetesjournals.org/content/27/suppl_1/s55.full.pdf+html Accessed 4/10/2011.

American Diabetes Association Position Statement: Diagnosis and classification of diabetes mellitus. *Diabetes Care*. January 2011; 34:S62-S69.

http://care.diabetesjournals.org/content/34/Supplement_1/S62.full.pdf+html Accessed 4/10/2011.

American Diabetes Association Position Statement: Nutrition recommendations and interventions for diabetes. *Diabetes Care*. 2008; 31 (Suppl. 1):S61–78.

http://care.diabetesjournals.org/content/31/Supplement_1/S61.full.pdf+html Accessed 4/10/2011.

American Diabetes Association Position Statement: Skyler JS, Bergenstal R, Bonow RO, John Buse J, et al. Intensive glycemic control and the prevention of cardiovascular events: implications of the ACCORD, ADVANCE, and VA Diabetes Trials: A position statement of the American Diabetes Association and a scientific statement of the American College of Cardiology Foundation and the American Heart Association. *Diabetes Care*. 2009; 32:187–92.

<http://care.diabetesjournals.org/content/32/1/187.full.pdf+html> Accessed 4/10/2011.

American Diabetes Association Position Statement: Standards of medical care in diabetes—2011. *Diabetes Care* January 2011; 34:S11-S61.

http://care.diabetesjournals.org/content/34/Supplement_1/S11.full.pdf+html Accessed 4/10/2011.

American Diabetes Association Standards: National standards for diabetes self-management education. *Diabetes Care*. January 2011; 34:S89-S96.

http://care.diabetesjournals.org/content/34/Supplement_1/S89.full.pdf+html Accessed 4/10/2011.

American Diabetes Association Technical Review: Cryer PE, Davis SN, Shamon H: Hypoglycemia in diabetes. *Diabetes Care*. 2003; 26:1902–12.

<http://care.diabetesjournals.org/content/26/6/1902.full.pdf+html> Accessed 4/10/2011.

American Diabetes Association Technical Review: Fong DS, Aiello LP, Ferris FL III, Klein R. Diabetic retinopathy. *Diabetes Care*. 2004; 27:2540–53.

<http://care.diabetesjournals.org/content/27/10/2540.full.pdf+html> Accessed 4/10/2011.

American Diabetes Association Technical Review: Goldstein DE, Little RR, Lorenz RA, Malone JI, et al. Tests of glycemia in diabetes. *Diabetes Care*. 2004; 27:1761–1773.

<http://care.diabetesjournals.org/content/27/7/1761.full.pdf+html> Accessed 4/10/2011.

American Diabetes Association. Translation of the diabetes nutrition recommendations for health care institutions. *Clinical Diabetes* 2004; 22:39-41.

<http://clinical.diabetesjournals.org/cgi/content/extract/22/1/39> Accessed 4/10/2011.

American Dietetic Association. Position of the American Dietetic Association: Nutrition, aging, and the continuum of care. *J Am Diet Assoc* 2000; 100:580-95. Review.

[http://www.adajournal.org/article/S0002-8223\(00\)00177-2/fulltext](http://www.adajournal.org/article/S0002-8223(00)00177-2/fulltext) Accessed 4/10/2011.

American Dietetic Association. Position of the American Dietetic Association: Liberalization of the diet prescription improves quality of life in older adults in long-term care. *Journal of the American Dietetic Association*, 2005; 105:1955-65.

<http://download.journals.elsevierhealth.com/pdfs/journals/0002-8223/PIIS0002822305017426.pdf> Accessed 4/10/2011.

American Dietetic Association; Dorner B, Niedert KC, Welch PK. Position of the American Dietetic Association: Liberalized diets for older adults in long-term care. *Journal of the American Dietetic Association* 2002; 102:1316-23. [http://www.adajournal.org/article/S0002-8223\(02\)90289-0/fulltext](http://www.adajournal.org/article/S0002-8223(02)90289-0/fulltext) Accessed 4/10/2011.

American Dietetic Association; Kuczmariski MF, Weddle DO. Position paper of the American Dietetic Association: Nutrition across the spectrum of aging. *J Am Diet Assoc* 2005; 105:616-33. [http://www.adajournal.org/article/S0002-8223\(05\)00224-5/abstract](http://www.adajournal.org/article/S0002-8223(05)00224-5/abstract) Accessed 4/10/2011.

American Medical Directors Association (AMDA). Diabetes management in the long-term care setting: Clinical practice guideline. Columbia (MD): American Medical Directors Association (AMDA); 2008. <http://www.amda.com/tools/cpg/diabetes.cfm> Accessed 4/10/2011.

California Healthcare Foundation/American Geriatrics Society Panel on Improving Care for Elders with Diabetes. Guidelines for improving the care of the older person with diabetes mellitus. *J Am Geriatr Soc*. 2003 May;51(5 Suppl Guidelines):S265-80. www.americangeriatrics.org/files/documents/JAGSfinal05.pdf Accessed 4/10/2011.

International Expert Committee. International Expert Committee report on the role of the A1C assay in the diagnosis of diabetes. *Diabetes Care*. 2009; 32:1327–34. <http://care.diabetesjournals.org/content/32/7/1327.full.pdf+html> Accessed 4/10/2011.

Joslin Diabetes Center. Clinical guideline for adults with diabetes. April 3, 2009. <http://www.fulldiabetescare.org/images/pdf/ClinicalCareGuidelines.pdf> Accessed 4/10/2011.

Joslin Diabetes Center. Guideline for the care of the older adult with diabetes. Boston (MA): Joslin Diabetes Center; 2007 Feb 2. http://www.joslin.org/docs/Guideline_For_Care_Of_Older_Adults_with_Diabetes.pdf Accessed 4/10/2011.

National Committee for Clinical Laboratory Standards (NCCLS). Ancillary (bedside) blood glucose testing in acute and chronic care facilities. C30-A. 1994.

Wisconsin Diabetes Advisory Group. Wisconsin Essential Diabetes Mellitus Care Guidelines. Madison WI: Wisconsin Diabetes Prevention and Control Program, 2008. <http://dhs.wisconsin.gov/health/diabetes/guidelines.htm> Accessed 4/10/2011.